

PROTEGIOR

FOR BLUEBERRIES

FORTIFYING, YIELD AND QUALITY





























COMPOSITION	%w/v
Total Nitrogen (N) Ureic Nitrogen (N) Zinc water-soluble complex (Zn) Manganese water-soluble complex (Mn) Copper water-soluble complex (Cu) Density: 1,2 pH: 2,0 Complexing agents: Aluminium Lignosulphonate and gluconic acids	4,8 4,8 1,0 2,0 2,0


















PROTECTOR BENEFITS & ADVANTAGES







YIELD

- Improves vegetative development especially after pruning.
- Increases quantity and length of the sprouts.
- Improves setting.



QUALITY

• Increases yield and fruits quality.



PLANT HEALTH

- Increases the content of polyphenols in the plant and its antioxidant potential, so it improves its sanitary condition.
- Healing effect.













PROTECTOR APPLICATION TIMES, MODE AND DOSE



BLUEBERRIES



PROTECTOR can be applied during most of the crop cycle, being recommendable especially in the following moments:

- Vegetative development. Beginning of the sprouting.
- Flower buttons appearance.
- Preparation and activation after pruning.
- Stressful moments in the crop caused by abiotic agents.

DOSAGE

FOLIAR: 1L/100L Water

LOCALIZED IRRIGATION: 5 – 6L / Ha







ASPEAGRO GLOBAL S.L. (Alicante) Spain

export@aspeagro.com
gm@aspeagro.com

www.aspeagro.com

PROTECTOR