

PROTECTOR for RICE FORTIFYING, YIELD AND QUALITY





PROTECTOR Composition

COMPOSITION	%w/\
Total Nitrogen (N)	4,8
Ureic Nitrogen (N)	4,8
Zinc water-soluble complex (Zn)	1,0
Manganese water-soluble complex (Mn)	2,0
Copper water-soluble complex (Cu)	2,0
Density: 1,2 pH: 2,0	
Complexing agents:	
Aluminium Lignosulphonate and gluconic acids	



















PROTECTOR **BENEFITS & ADVANTAGES**

YIELD

- Greater grain filling
- Increase in grain weight
- Increase in the fertilization of the grains
- Increase in number of offspring
- Increase in the size of the ear
- More panicles per m²

QUALITY

E

- Brings harvest forward and homogenises the formulation of the rice ear, important in varieties like "Puntal" where the rice ear is uneven.
- Increase in the percentage of whole grains (fewer "green" grains), leading to greater grain quality at the base.



- Plant healthier and more resistant to diseases.
- Thickening of the cell walls of the steam.
- Wider and thicker flag leaf, which leads to better photosynthetic





PLANT HEALTH

- Plant more resistant to
 - temperature-related stress.
- Regulation of the plant: more
 - vegetation and powerful rooting.

activity.



PROTECTOR APPLICATION TIMES, MODE AND DOSE

RICE



1st Foliar application: Coinciding with the phenological stage "Beginning of seedling emergence".

2nd Foliar application: Coinciding with the phenological stage "Start of rice earing".

USE OF PROTECTOR TO RECOVER PLOTS DEMAGED BY PHYTOTOXICITIES CAUSED BY THE USE OF PESTICIDES.



1,5-2L/Ha.

1,5-2L/Ha.







ASPE AGROBIOLÓGICO S.L. (Alicante) Spain

- export@aspeagro.com
 gm@aspeagro.com
- www.aspeagro.com

PROTECTOR

