




EXTENSIVE CROPS





INDEX

page

Classification: by categories and products 3-20

Classification: by crops 22-26





CLASSIFICATION: BY CATEGORIES AND PRODUCTS



LENOL 700

ADJUVANT: PENETRANT - SURFACTANT - ACIDIFIER

CROPS

COMPOSITION


%w/w


► All crops


| | |
|----------------------------|------|
| Lecithin | 35,0 |
| Propionic acid | 35,0 |
| Linear Ethoxylated Alcohol | 10,9 |




BIOPROTECTORS

| | | | | |
|---|---|--|--|---|
| ▶ NATUREX | | BIOFUNGICIDE AND BACTERICIDE | |  |
| CROPS | COMPOSITION | %w/w | | |
| <ul style="list-style-type: none"> ▶ Rice ▶ Wheat | <ul style="list-style-type: none"> Melaleuca Alternifolia extract Vegetable Oils Zinc (Zn) Manganese (Mn) | <ul style="list-style-type: none"> 20,0 76,0 1,5 0,5 | | |

| | | | | |
|-------------------------------|---|---|--|--|
| ▶ NEMATERIAL BOTANICAL | | BIONEMATICIDE | |  |
| CROPS | COMPOSITION | %w/w | | |
| ▶ Potato | <ul style="list-style-type: none"> Plant extract (Gramineae Sp.) Phosphorus (P₂O₅) Potassium (K₂O) L-Amino Acids Organic Matter | <ul style="list-style-type: none"> 70,0 8,0 2,0 2,0 18,0 | | |

| | | | | |
|--|--|---|--|---|
| ▶ PROTECTOR | | ACTIVATOR OF NATURAL VEGETAL DEFENCES | |  |
| CROPS | COMPOSITION | %w/v | | |
| <ul style="list-style-type: none"> ▶ Potato ▶ Cotton | <ul style="list-style-type: none"> Total Nitrogen (N) Ureic Nitrogen (N) Zinc water-soluble complex (Zn) Manganese water-soluble complex (Mn) Copper water-soluble complex (Cu) Density pH Complexing agents: Aluminium Lignosulphonate and gluconic acids | <ul style="list-style-type: none"> 4,8 4,8 1,0 2,0 2,0 1,0 2,0 | | |

| | | | | |
|---|---|--|--|---|
| ▶ ARANKA | | BIOFUNGICIDE AND BACTERICIDE | |  |
| CROPS | COMPOSITION | %w/v | | |
| <ul style="list-style-type: none"> ▶ Rice ▶ Wheat | <ul style="list-style-type: none"> Active molecular fractions obtained by Umbelliferae leaves fractionation Zinc (Zn) Manganese (Mn) | <ul style="list-style-type: none"> 96,0 2,0 2,0 | | |

BIOSTIMULANTS

| MOL | | HUMIC & FULVIC ACIDS BIOSTIMULANT | |
|-------------|--|---|--|
| CROPS | COMPOSITION | %w/w | |
| ▶ All crops | Total Humic Extract Humic Acids Fulvic Acids Organic Nitrogen Potassium (K) Magnesium (Mg) Density pH | 20,0 10,0 10,0 0,5 7,5 0,2 1,27 13,5 | |



| MOL AMYN | | FULVIC ACIDS AND AMINO ACIDS | |
|-------------|---|------------------------------|--|
| CROPS | COMPOSITION | %w/v | |
| ▶ All crops | Total Fulvic Acid Free Amino Acids Total Polysaccharides pH: 5-6 Density: 1,27 g/cc | 22,0 16,5 8,0 | |



| MOL FULVIC | | FULVIC ACIDS. BIOSTIMULANT | |
|-------------|---|--------------------------------------|--|
| CROPS | COMPOSITION | %w/v | |
| ▶ All crops | Total humic extract Fulvic Acid Total Nitrogen (N) Phosphorus (P ₂ O ₅) Potassium(K ₂ O) Density: 1,26 pH: 5,5 | 51,5 51,5 5,15 0,25 9,20 | |



| MOL SOLID | | ORGANIC SOIL AMENDMENT | |
|-------------|---|--------------------------------------|--|
| CROPS | COMPOSITION | %w/v | |
| ▶ All crops | Total Humic Extract Humic Acids Fulvic Acids Potassium (K ₂ O) pH (10% solution) | 82,0 78,5 3,5 12,0 10-11 | |



BIOSTIMULANTS

MOL COMBI

FULVIC ACIDS. BIOSTIMULANT

CROPS

COMPOSITION

%w/w

► All crops

| | |
|-----------------------------|-------|
| Fulvic acids | 30,0 |
| Calcium (CaO) | 3,0 |
| Magnesium (Mg) | 3,0 |
| Iron (Fe) | 5,0 |
| Manganese (Mn) | 5,0 |
| Zinc (Zn) | 5,0 |
| Boron (B) | 1,0 |
| Appearance: Microgranulated | |
| pH (solution 10%) | 6 - 7 |



STYM 25

AMINO ACIDS

CROPS

COMPOSITION

%w/v

► All crops

| | |
|------------------------------------|------|
| Free Amino Acids | 25,0 |
| Organic Nitrogen (N) | 2,5 |
| Organic Carbon | 14,4 |
| ISI (Disease-Resistance Activator) | 3,0 |
| pH | 6,7 |
| Density | 1,16 |



STYM MIX

ORGANIC MICRONUTRIENTS CORRECTOR

CROPS

COMPOSITION

%w/v

► All crops

| | |
|---------------------|------|
| L-Aminoacids (Free) | 4,20 |
| Copper (Cu) | 3,25 |
| Iron (Fe) | 3,25 |
| Manganese (Mn) | 3,25 |
| Zinc (Zn) | 3,25 |



FORZA PLUS

GROWTH STIMULANT

CROPS

COMPOSITION

%w/v

p.p.m

► All crops

| | | | |
|---|-------|-----------------|-----|
| Fulvic Acid | 5,00 | Iron (Fe) | 500 |
| Folicsteine | 4,50 | Zinc (Zn) | 100 |
| Folic acid | 0,10 | Manganese (Mn) | 100 |
| Nitrogen (Ammonium) | 5,60 | Boron (B) | 80 |
| Phosphorus (P ₂ O ₅) | 19,50 | Copper (Cu) | 50 |
| Potassium (K ₂ O) | 5,00 | Molibdenum (Mo) | 2 |
| Magnesium (MgO) | 0,05 | | |



COPPERS

➔ CUC 38 SC

COPPER OXYCHLORIDE COLOIDAL. DEFICIENCY CORRECTOR
FUNGICIDE BACTERICIDE

CROPS

COMPOSITION

%w/v

► Cereals

Copper (Cu) 38,0
Copper (Copper Oxychloride) 70,0

Density: 1,5



➔ CUC GLUCONATE

COPPER GLUCONATE DEFICIENCY CORRECTOR
FUNGICIDE BACTERICIDE

CROPS

COMPOSITION

%w/v

%w/w

► Cereals

Copper (Cu) 8,0 6,5
Organic complexant agent:
D-gluconic acid

Density 1,23-1,33 g/cc



► GRAIN START

BIOSTIMULANT. SEED TREATMENT

| CROPS | COMPOSITION | %w/w |
|----------------|----------------------|------|
| ► Wheat | Total aminoacids | 9,0 |
| ► Corn | Free aminoacids | 6,0 |
| ► Sunflower | Total nitrogen (N) | 5,0 |
| ► Soy | Total organic matter | 30,0 |
| ► Rice | Seaweed extract | 6,0 |
| ► Oilseed rape | | |



► KELOM COTTON

BIOACTIVATOR.SPECIAL COTTON

| CROPS | COMPOSITION | %w/w |
|----------|-------------------------------------|-------|
| ► Cotton | Polyhydroxy carboxylic acids (PHCA) | 25,0 |
| | Total amino acids | 15,0 |
| | Betaine | 9,0 |
| | Nitrogen (N) organic | 2,0 |
| | Iron (Fe) | 1,68 |
| | Manganese (Mn) | 0,63 |
| | Zinc (Zn) 4,5 % (N) p/p | 0,34 |
| | Copper (Cu) | 0,04 |
| | Boron (B) | 0,34 |
| | Molybdenum (Mo) | 0,004 |



► VITAL FOL MN

BIOACTIVATOR. SPECIAL INDUSTRIAL CROPS

| CROPS | COMPOSITION | %w/v |
|---|---|-------|
| ► Industrial crops (potato, carrots, etc) | Total nitrogen | 2,0 |
| | Phosphorus (P ₂ O ₅) | 30,0 |
| | Potassium (K ₂ O) | 3,0 |
| | Boron (B) | 0,01 |
| | Copper (Cu) chelated by EDTA | 0,02 |
| | Iron (Fe) chelated by EDTA | 0,02 |
| | Manganese (Mn) 4,5 % (N) p/p | 4,00 |
| | Molybdenum (Mo) | 0,001 |
| | Zinc (Zn) | 0,01 |
| | Density | 1,30 |



SUKRA BORON + CA FLOW

BORON AND CALCIUM CORRECTOR

SUKRA BORON + CA SOLID



| CROPS | COMPOSITION | %w/v | |
|-------------|----------------------------|-------------|-------------|
| | | FLOW | SOLID |
| ▶ Sugarbeet | Boron (B) Calcium (CaO) | 15,0 7,0 | 15,0 7,0 |

RICE

BIOSTIMULANT.SPECIAL RICE



| CROPS | COMPOSITION | %w/v |
|--------|--|--|
| | | |
| ▶ Rice | Total aminoacids N-Acetyl Thiazolidine-4 Carboxilic Iron (Fe) chelated EDTA Manganese (Mn) chelated EDTA Copper (Cu) chelated EDTA Zinc (Zn) chelated EDTA Boron (B) | 17,0 1,00 0,18 0,10 0,18 0,10 0,08 |
| | Density at 20 °C pH(1% water solution) | 1,25 g/ml 8,0 + 0,5 |

MACRONUTRIENTS

► SOLDENSO YELLOW SOLUBLE FERTILIZER

| 20+20+20+TE | COMPOSITION | %w/v |
|-------------|---|-------|
| CROPS | Total Nitrogen (N) | 20,00 |
| | Phosphorous Oxide(P ₂ O ₅) | 20,00 |
| ► All crops | Potassium Oxide (K ₂ O) | 20,00 |
| | Boron (B) | 0,016 |
| | Iron (Fe) chelating agent EDTA | 0,016 |
| | Copper (Cu) chelating agent EDTA | 0,016 |
| | Manganese (Mn) chelating agent EDTA | 0,016 |
| | Zinc (Zn) chelating agent EDTA | 0,016 |
| | Molybdenum (Mo) | 0,016 |



► SOLDENSO BLUE SOLUBLE FERTILIZER

| 30+10+10+TE | COMPOSITION | %w/v |
|-------------|---|-------|
| CROPS | Total Nitrogen (N) | 30,00 |
| | Phosphorous Oxide(P ₂ O ₅) | 10,00 |
| ► All crops | Potassium Oxide (K ₂ O) | 10,00 |
| | Boron (B) | 0,016 |
| | Iron (Fe) chelating agent EDTA | 0,016 |
| | Copper (Cu) chelating agent EDTA | 0,016 |
| | Manganese (Mn) chelating agent EDTA | 0,016 |
| | Zinc (Zn) chelating agent EDTA | 0,016 |
| | Molybdenum (Mo) | 0,016 |



► SOLDENSO RED SOLUBLE FERTILIZER

| 12+05+42+TE | COMPOSITION | %w/v |
|-------------|---|-------|
| CROPS | Total Nitrogen (N) | 12,00 |
| | Phosphorous Oxide(P ₂ O ₅) | 05,00 |
| ► All crops | Potassium Oxide (K ₂ O) | 42,00 |
| | Boron (B) | 0,016 |
| | Iron (Fe) chelating agent EDTA | 0,016 |
| | Copper (Cu) chelating agent EDTA | 0,016 |
| | Manganese (Mn) chelating agent EDTA | 0,016 |
| | Zinc (Zn) chelating agent EDTA | 0,016 |
| | Molybdenum (Mo) | 0,016 |



► SOLDENSO GREEN SOLUBLE FERTILIZER

| 13+40+13+TE | COMPOSITION | %w/v |
|-------------|---|-------|
| CROPS | Total Nitrogen (N) | 13,00 |
| | Phosphorous Oxide(P ₂ O ₅) | 40,00 |
| ► All crops | Potassium Oxide (K ₂ O) | 13,00 |
| | Boron (B) | 0,016 |
| | Iron (Fe) chelating agent EDTA | 0,016 |
| | Copper (Cu) chelating agent EDTA | 0,016 |
| | Manganese (Mn) chelating agent EDTA | 0,016 |
| | Zinc (Zn) chelating agent EDTA | 0,016 |
| | Molybdenum (Mo) | 0,016 |



MACRONUTRIENTS

➔ AZOL

NITROGEN LIQUID FERTILIZER OF CONTROLLED RELEASE

| CROPS | COMPOSITION | %w/v | |
|---|-----------------------|---------------|-----|
| <ul style="list-style-type: none"> ▶ Corn ▶ Rice ▶ Cereals ▶ Cottons ▶ Soy | Total Nitrogen (N) | 28,0 | |
| | N (Urea-formaldehyde) | 85,0 | |
| | N (Ureic) | 15,0 | |
| | Biuret, Max | less than | 0,7 |
| | pH(water 10%, 20°C) | 9-11 | |
| | Density (20°) | 1,23-1,25kg/L | |



➔ K-PHOSPHATE

PHOSPHORUS AND POTASSIUM FERTILIZER

| CROPS | COMPOSITION | %w/v |
|--|---|------|
| <ul style="list-style-type: none"> ▶ Sugar beet | Phosphorus (P ₂ O ₅) | 45,0 |
| | Potassium (K ₂ O) | 50,0 |
| | Density | 1,7 |
| | pH (solution 10%) | 7-8 |



➔ K-NITRATE GEL

NITROGEN AND POTASSIUM FERTILIZER

| CROPS | COMPOSITION | %w/v |
|--|------------------------------|------|
| <ul style="list-style-type: none"> ▶ Cotton ▶ Corn ▶ Potato ▶ Rice | Potassium (K ₂ O) | 46,0 |
| | Nitrogen (N) | 11,0 |
| | Density: 1,5 | |
| | | |



➔ KELOM S

SULFUR FERTILIZER

| CROPS | COMPOSITION | %w/w | %w/v |
|--|---|-----------------|------|
| <ul style="list-style-type: none"> ▶ Cereal ▶ Oilseed rape ▶ Potato ▶ Sugar beet | Nitrogen (N) | 11,0 | 15,0 |
| | Sulfur (SO ₃) water soluble | 64,0 | 87,5 |
| | Density | 1,36 g/cc @18°C | |
| | pH | 7-8 | |



MACRONUTRIENTS

PRONAT

ALL-IN-ONE FOLIAR FERTILIZER

CROPS

- ▶ Cereals
- ▶ Legumes
- ▶ Potato

COMPOSITION

| | | | |
|--------------------|----------|------------|----------|
| Total Nitrogen (N) | 28% w/v | Zinc (Zn) | 170 mg/l |
| Phosphorus | 11% w/v | Auxines | 600 ppm |
| Potassium | 14% w/v | Cytokinins | 2000 ppm |
| Boron (B) | 170 mg/l | | |
| Copper (Cu) | 170 mg/l | | |
| Iron (Fe) | 480 mg/l | | |
| Manganese (Mn) | 170 mg/l | | |



STOP CA B

CALCIUM AND BORON DEFICIENCY MULTIPLE CORRECTOR

CROPS

- ▶ Industrial crops


COMPOSITION


%w/w


| | |
|-------------------------------------|---------|
| Calcium (CaO) | 34,0 |
| Boron (B) | 2,0 |
| N.O.C. (Natural Organic Complexant) | 64,0 |
| pH (watery solution 1%) | 7 + 0,5 |



MICRONUTRIENTS

| | | | | |
|--|---|---------------------------------|--|---|
| BORZINC | | BORON AND ZINC CORRECTOR | |  |
| CROPS | COMPOSITION | %w/v | | |
| <ul style="list-style-type: none"> ▶ Sunflower ▶ Soy bean ▶ Cereals ▶ Potato ▶ Oilseed rape ▶ Corn | Boron (B) 11,5 Zinc (Zn) 4,0 Chelating agent: EDTA (ethylenediaminetetraacetic acid) | | | |

| | | | | |
|--------------|---|-----------------------------------|--|--|
| BORON | | BORON DEFICIENCY CORRECTOR | |  |
| CROPS | COMPOSITION | %w/w | | |
| ▶ All crops | Boron (B) 11,0 Total Nitrogen (N) 4,8 Density 1,35-1,40 @ 18°C pH (10% solution) 8,0-9,0 | | | |

| | | | | |
|--|--|------------------------------------|--|---|
| KELOM FE 13 | | IRON EDTA CHELATE CORRECTOR | |  |
| CROPS | COMPOSITION | %w/w | | |
| <ul style="list-style-type: none"> ▶ Cereal ▶ Industrial crops ▶ Cotton ▶ Corn | Iron (Fe), EDTA chelated 13,0 pH (10% in water) 4,5 pH stability range 3-7 | | | |

MICRONUTRIENTS

▶ KELOM CU 14

COPPER EDTA CHELATE CORRECTOR

CROPS

- ▶ Cereal
- ▶ Industrial crops
- ▶ Cotton
- ▶ Corn

COMPOSITION

%w/w

Copper (Cu), EDTA chelated 14,0
pH (10% water) 6,5



▶ KELOM MIX SOLID

MULTIPLE DEFICIENCIES CORRECTOR

CROPS

- ▶ Cereals
- ▶ Cotton
- ▶ Corn
- ▶ Oilseed rape

COMPOSITION

%w/w

Magnesium (MgO) 1,50
Iron (Fe) 4,00
Manganese (Mn) 3,00
Zinc (Zn) 3,00
Copper (Cu) 0,50
Boron (B) 0,50
Molybdenum (Mo) 0,05
Chelating Agent EDTA



MICRO GLUCO

GLUCCO MN

COMPLEXED ORGANIC MANGANESE CORRECTOR

| CROPS | COMPOSITION | %w/v |
|-------------|---|------|
| ▶ All crops | Manganese (Mn) pH 6-7 Density: 1.3 Natural Chelating Agent (Gluconic Acid) | 6.0 |



GLUCCO ZN

COMPLEXED ORGANIC ZINC CORRECTOR

| CROPS | COMPOSITION | %w/v |
|----------|---|------|
| ▶ Potato | Zinc (Zn) pH 6-7 Density: 1.27 Natural Chelating Agent (Gluconic Acid) | 5.8 |



GLUCCO MN ZN

COMPLEXED ORGANIC MANGANESE AND ZINC CORRECTOR

| CROPS | COMPOSITION | %w/v |
|-------------|---|------------|
| ▶ All crops | Manganese (Mn) Zinc (Zn) pH 6-7 Density: 1.27 Natural Chelating Agent (Gluconic Acid) | 5.0 5.0 |



GLUCCO FMZ

COMPLEXED ORGANIC IRON, MANGANESE AND ZINC CORRECTOR

| CROPS | COMPOSITION | %w/v |
|-------------|---|-------------------|
| ▶ All crops | Iron (Fe) water soluble Manganese (Mn) water soluble Zinc (Zn) water soluble Natural Chelating Agent (Gluconic Acid) | 2.6 2.6 2.6 |



PLANT GROWTH REGULATOR

▶ GROWTH MIX

PLANT GROWTH REGULATOR

CROPS

- ▶ Cereals
- ▶ Corn
- ▶ Barley
- ▶ Oats
- ▶ Potato

COMPOSITION

%w/w

| | | | |
|---------------|----------|--------------|------|
| Gibberellines | 500 ppm | Calcium (Ca) | 0,8 |
| Auxines | 500 ppm | Zinc (Zn) | 2,0 |
| Cytokinins | 200 ppm | Fulvic Acids | 25,0 |
| Cisteine | 500 ppm | Nitrogen (N) | 9,0 |
| Tiamine | 1110 ppm | | |
| Inositol | 200 ppm | | |



ROOTING

STYM ROOT

BIOSTIMULANT ROOT SYSTEM

| CROPS | COMPOSITION | %w/w |
|----------------|---|------|
| ▶ Corn | Free amino acids | 8,00 |
| ▶ Oilseed rape | Nitrogen (N) Total | 5,80 |
| ▶ Potato | Phosphorus (P ₂ O ₅) | 5,00 |
| ▶ Sugar beet | Potassium (K ₂ O) | 4,00 |
| ▶ Wheat | Iron (Fe) | 3,50 |
| | Manganese (Mn) | 0,80 |
| | Zinc (Zn) | 0,08 |
| | Boron (B) | 0,10 |
| | Molybdenum (Mo) | 0,04 |
| | Density | 1,27 |
| | pH | 6-7 |



STYM ROOT SOLID

BIOSTIMULANT ROOT SYSTEM

| CROPS | COMPOSITION | %w/w |
|----------------|---|----------|
| ▶ Corn | Nitrogen (N) Total | 7,0 |
| ▶ Oilseed rape | Phosphorus (P ₂ O ₅) | 35,0 |
| ▶ Potato | Free amino acids | 20,0 |
| ▶ Sugar beet | Indolbulyric acid (IBA) | 1500 ppm |
| ▶ Wheat | Naphthyacetic acid (ANA) | 500 ppm |



SEAWEED BIOSTIMULANTS

▶ ALGEX AMYN

SEAWEED EXTRACT WITH AA. BIOSTIMULANT.
ASCOPHYLLUM NODOSUM

| CROPS | COMPOSITION | %w/w |
|---|--|------|
| <ul style="list-style-type: none"> ▶ Cereals ▶ Corn ▶ Cotton | Seaweed extract (Ascophyllun Nodosum) | 40,0 |
| | Free Aminoacids | 10,0 |
| | | |



▶ ALGEX KELP

SEAWEED EXTRACT. BIOSTIMULANT
ECKLONIA MAXIMA

| CROPS | COMPOSITION | %w/v |
|--|----------------------|------|
| <ul style="list-style-type: none"> ▶ Oilseed rape ▶ Sugar beet ▶ Sun flower | Seaweed Kelp extract | 30,0 |
| | Auxines | 0,45 |
| | Cytokines | |
| | Folic acid | |
| | Density | 1,05 |
| | pH (10% solution) | 4,4 |



SILICON

► SILIC ON

SILICON AND POTASSIUM FERTILIZER

CROPS

► Cereals

COMPOSITION

%w/w

| | |
|------------------------------|------|
| Silicon (SiO ₂) | 30,0 |
| Potassium (K ₂ O) | 10,0 |



► SILIC ON CA MG FLOW

CALCIUM & MAGNESIUM SILICATE. FOLIAR FERTILIZER

CROPS


► Potato

COMPOSITION

%w/v

| | |
|-----------------------------|------|
| Silicon (SiO ₂) | 18 |
| Calcium (CaO) | 13,5 |
| Magnesium (MgO) | 5,5 |
| Density | 1,3 |
| pH | 5-6 |





CLASSIFICATION: BY CROPS



CLASIFICACION: BY CROPS

▶ ALL CROPS

PRODUCTS

- ▶ Lenol 700
- ▶ MOL
- ▶ MOL Fulvic
- ▶ MOL Aryn
- ▶ MOL Solid
- ▶ MOL Combi
- ▶ STYM 25
- ▶ STYM Mix
- ▶ Forza PPlus
- ▶ Soldenso
- ▶ Boron
- ▶ Glucco FMZ
- ▶ Glucco Mn
- ▶ Glucco Zn

▶ BARLEY



PRODUCTS

- ▶ Growth Mix

▶ CEREALS



PRODUCTS

- ▶ KELOM Fe 13
- ▶ KELOM Mix Solid
- ▶ Growth Mix
- ▶ Algez Aryn
- ▶ Silic ON
- ▶ CUC 38 SC
- ▶ CUC Gluconate
- ▶ Pronat
- ▶ Azol
- ▶ KELOM S
- ▶ Borzinc

CLASIFICACION: BY CROPS

➔ CORN



PRODUCTS

- ▶ Grain Start
- ▶ Aranka
- ▶ Azol
- ▶ K-Nitrate Gel
- ▶ Borzinc
- ▶ KELOM Cu 14
- ▶ KELOM Mix Solid
- ▶ Growth Mix
- ▶ STYM Root
- ▶ Algex Aryn

➔ COTTON



PRODUCTS

- ▶ Protector
- ▶ Aranka
- ▶ KELOM Cotton
- ▶ Azol
- ▶ K-Nitrate Gel
- ▶ KELOM Cu 14
- ▶ Algex Aryn

➔ INDUSTRIAL CROPS



PRODUCTS

- ▶ Vital Fol Mn,
- ▶ Stop Ca B,
- ▶ KELOM Cu 14

CLASIFICACION: BY CROPS

➔ POTATO



PRODUCTS

- ▶ Nematural Botanical
- ▶ Protector
- ▶ Vital Fol Mn
- ▶ Pronat
- ▶ K-Nitrate Gel
- ▶ KELOM S
- ▶ Borzinc
- ▶ Growth Mix
- ▶ STYM Root Solid
- ▶ Silicon Ca Mg Flow

➔ RICE



PRODUCTS

- ▶ Naturex
- ▶ Grain Start
- ▶ Rice 3
- ▶ Azol
- ▶ K-Nitrate Gel

➔ SOY



PRODUCTS

- ▶ Grain Start
- ▶ Azol
- ▶ Borzinc

CLASIFICACION: BY CROPS

➔ LEGUMES



PRODUCTS

- ▶ Pronat

➔ OATS



PRODUCTS

- ▶ Growth Mix

➔ OILSEED RAPE



PRODUCTS

- ▶ Grain start
- ▶ KELOM S
- ▶ Borzinc
- ▶ KELOM MIX Solid
- ▶ STYM Root
- ▶ Algex Kelp

CLASIFICACION: BY CROPS

► SUNFLOWER



PRODUCTS

- ▶ Grain Start
- ▶ Borzinc
- ▶ Algex Kelp

► SUGAR BEET



PRODUCTS

- ▶ Suka Boron + Ca Flow
- ▶ Sukra Boron + Ca Solid
- ▶ K-Phosphate
- ▶ KELOM S
- ▶ STYM Root Solid
- ▶ Algex Kelp

► WHEAT



PRODUCTS

- ▶ Naturex
- ▶ Grain Start
- ▶ STYM Root Solid



ASPE AGROBIOLÓGICO S.L.
(Alicante) Spain

✉ export@aspeagro.com
gm@aspeagro.com
🌐 www.aspeagro.com

EXTENSIVE CROPS

